

Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identification		
Product Name	FRANKINCENSE ESSENTIAL OIL ORGANIC	
Biological Definition	BOSWELLIA SERRATA OIL IS THE VOLATILE OIL OBTAINED FROM THE GUM RESIN OF BOSWELLIA SERRATA ROXB. EX COLEBR. (FAM. BURSERACEAE).	
INCI Name	BOSWELLIA SERRATA OIL	
Synonyms & Trade Names	FRANKINCENSE OIL	
Internal Product Code	К0192	
CAS-No	97952-72-2 EC NO. 308-366-6 EINECS NO. 308-366-6	
1.2 Details of the supplier of the safety data sheet		
Company Address	Akoma International (UK) Limited Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967	
Email	technical@akoma.biz	
1.3 Details of the supplier of the safety data sheet		
Emergency Contacts	Mr. Wynn Mensah – Tel: 01332 613 967	

SECTION 2: Hazards Identification	
2.1 Classification of the substance or mixture	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
Classification (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.
Classification (EU1272/2008)	FLAMMABLE LIQUID, CATEGORY 3 (FLAM. LIQ. 3, H226). SKIN IRRITATION, CATEGORY 2 (SKIN IRRIT. 2, H315). SKIN SENSITISATION, CATEGORY 1B (SKIN SENS. 1B, H317).

Page 1 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Frankincense Essential Oil Organic - MSDS

	HAZARDOUS TO THE AQUATIC ENVIRONMENT - CHRONIC HAZARD, CATEGORY 2 (AQUATIC CHRONIC 2, H411).
--	--

2.2 Label Element	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
Label in accordance with Regulation (EC) No 12	
GHS Label	
Gris Label	GHS07 GHS02 GHS08 GHS08 GHS09
Signal Word	DANGER.
Contains	SABINENE, ALPHA-PINENE, LIMONENE, DELTA-3-CARENE, ALPHA-PHELLANDRENE, PARA-CYMENE.
Hazards Statement	H226 FLAMMABLE LIQUID AND VAPOUR.
	H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
	H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Precautionary Statements	P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. — NO SMOKING.
	P273 AVOID RELEASE TO THE ENVIRONMENT.
	P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION.
	P321 SPECIFIC TREATMENT (SEE ON THIS LABEL).
	P333 + P313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P363 WASH
	CONTAMINATED CLOTHING BEFORE REUSE.
	P391 COLLECT SPILLAGE.
Supplementary Precautionary Statements	NONE.
	Section 16 (Other Information): Risk & Safety phrases in full.
2.3 Other Hazards	
Adverse physio-chemical properties	NO DATA.
Adverse effects on human health	NO DATA.
PBT OR VPVB ACCORDING TO ANNEX XIII	THE MIXTURE DOES NOT CONTAIN ANY SUBSTANCES CLASSIFIED AS 'SUBSTANCES OF VERY HIGH CONCERN'
	(SVHC) BY THE EUROPEAN CHEMICALS AGENCY (ECHA) UNDER ARTICLE 57 OF REACH:
	HTTP://ECHA.EUROPA.EU/FR/CANDIDATE-LIST-TABLE. THE MIXTURE SATISFIES NEITHER THE PBT NOR THE VPVB
	CRITERIA FOR MIXTURES IN ACCORDANCE WITH ANNEXE XIII OF THE REACH REGULATIONS EC 1907/2006.

SECTION 3: Composition of Ingredients	
3.1 Mixtures	65.0 – 75.0% ALPHA-THUJENE CAS NO: 2867-05-2 EC NO: 220-686-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ACUTE TOX. 4 – H302, SKIN SENS. 1B – H317, AQUATIC CHRONIC 2 - H411
	 5.0 – 10.0% SABINENE CAS NO: 3387-41-5 EC NO: 222-212-4 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, ASP. TOX. 1 - H304 1.0 – 5.0% DELTA-3-CARENE CAS NO: 13466-78-9 EC NO: 236-719-3

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 2 of 9

CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. - H317
1.0 – 5.0% ALPHA-PHELLANDRENE CAS NO: 99-83-2 EC NO: 202-792-5CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304
1.0 – 5.0% TRANS-ANETHOLE CAS NO: 4180-23-8 EC NO: 224-052-0 CLASSIFICATION (EC 1272/2008) SKIN SENS. 1 – H317
1.0 – 5.0% PARA-CYMENE CAS NO: 99-87-6 EC NO: 202-796-7 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 – H315, EYE IRRIT. 2 – H319, STOT SE 3 -H335, AQUATIC CHRONIC 2 – H411.
5.0 – 10.0% ALPHA-PINENE CAS NO: 80-56-8 EC NO: 201-291-9CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ACUTE TOX. 4 – H302, ASP. TOX. 1 - H304, SKIN IRRIT. 2 – H315, SKIN SENS.1 - H317, AQUATIC CHRONIC 1 H410
< 5.0% LIMONENE CAS NO: 5989-27-5 EC NO: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, ASP. TOX. 1 - H304, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

SECTION 4: First Aid Measures	
4.1 Description of First Aid Measures	
General Information	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
Inhalation	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALLY THE POISON CENTRE OR DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
Eye Contact	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 Most important symptoms & effects (Acute & Delayed)	SYMPTOMS CONTACT: MAY CAUSE AN ALLERGIC REACTION
4.3 Indication of any immediate medical attention or special treatment required	TREAT SYMPOMATICALLY.

SECTION 5: Fire Fighting Measures	
5.1	
Extinguishing material	FLAMMABLE.
	CHEMICAL POWDERS, CARBON DIOXIDE AND OTHER EXTINGUISHING GAS ARE SUITABLE FOR SMALL FIRES.
	KEEP PACKAGES NEAR THE FIRE COOL, TO PREVENT PRESSURISED CONTAINERS FROM BURSTING.
	IN THE EVENT OF A FIRE, USE:
	- SPRAYED WATER OR WATER MIST

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 3 of 9

	- WATER WITH AFFF (AQUEOUS FILM FORMING FOAM) ADDITIVE
	- HALON
	- FOAM
	- MULTIPURPOSE ABC POWDER
	- BC POWDER
	- CARBON DIOXIDE (CO2)
	PREVENT THE EFFLUENT OF FIRE-FIGHTING MEASURES FROM ENTERING DRAINS OR WATERWAYS.
	IN THE EVENT OF A FIRE, DO NOT USE:
	- WATER JET
5.2	
Special hazards arising from the substance Or	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.
mixture	
5.3	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS:
Advice for fire-fighters	WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE
	CLOTHING.

SECTION 6: Accidental Release Mea	sures
6.1	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR
Personal precautions	SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR
	SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION.
6.2	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL
Environmental precautions	AUTHORITY GUIDELINES.
6.3	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS.
Methods & material for containment and	CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL
cleaning up	REGULATIONS. COVER WITH AN INERT, INORGANIC, NON-COMBUSTIBLE ABSORBENT MATERIAL (E.G DRY-LIME,
	SAND, SODA ASH).
6.4	
References to other sections	REFER & CONSIDER SECTION 12.

EDON	/ THE HEADT
SECTION 7: Handling & Storage	
7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 Conditions for safe storage, including any Incompatibilities	STORAGE CLASS: FLAMMABLE LIQUID STORAGE. STORE ONLY IN THE ORIGINAL RECEPTACLE. KEEP CONTAINER TIGHTLY SEALED. KEEP IN COOL, DRY, VENTILATED STORAGE AND CLOSED CONTAINERS. KEEP AWAY FROM HEAT.
7.3 Specific end use(s)	NO DATA.

SECTION 8: Exposure Controls & Personal Protection	
8.1 Control Parameters	NO DATA.
	-

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 4 of 9

8.2 Exposure Controls	
Eye Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)
Hand Protection	AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.
Respiratory Equipment	DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED.
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
Engineering Measures	NONE.
Skin Protection	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
Personal Protection	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.
Other Protection	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
Enviromental Exposure Controls	AVOID DISCHARGING INTO DRAINAGE WATER.

SECTION 9: Physical & Chemical Properties	
9.1	
Physical & Chemical Properties	
Appearance	LIQUID
Colour	PALE YELLOW - YELLOW
Odour	CHARACTERISTIC
Relative Density	0.830 – 0.890
Refractive Index	1.440 - 1.490
Flash Point (°C)	43°C.
Solubility in Water @ 20°C	-
9.2	
Other Information	VAPOUR PRESSURE: BETWEEN 175 KPA AND 300 KPA INCLUSIVE.

Page 5 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

SECTION 10: Exposure Controls & Personal Protection	
10.1 Reactivity	NOT APPLICABLE.
10.2 Chemical stability	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 Possibility of hazardous reactions	NONE UNDER NORMAL PROCESSING.
10.4	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF
Conditions to avoid 10.5	IGNITION AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
Incompatible materials	THE PRODUCT DOLLAR NOT DECOMPOSE UNDER NORMAL CONDITIONS, UNDER SIDE CONDITIONS THE PRODUCT
10.6 Hazardous decomposition products	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: Toxicological Informati	on
11.1 Toxicological effects	
Acute Toxicity	PARA-CYMENE (CAS: 99-87-6) ORAL ROUTE : LD50 = 4750 MG/KG
	ALPHA-PINENE (CAS: 80-56-8) ORAL ROUTE : LD50 = 3500 MG/KG
Skin irritation	MAY CAUSE IRREVERSIBLE DAMAGE TO THE SKIN; NAMELY INFLAMMATION OF THE SKIN OR THE FORMATION
	OF ERYTHEMA AND ESCHAR OR OEDEMA FOLLOWING EXPOSURE UP TO FOUR HOURS. REPEATED OR
	PROLONGED CONTACT WITH THE MIXTURE MAY CAUSE REMOVAL OF NATURAL OIL FROM THE SKIN RESULTING
	IN NON-ALLERGIC CONTACT DERMATITIS AND ABSORPTION THROUGH THE SKIN.
	MAY CAUSE AN ALLERGIC REACTION BY SKIN CONTACT.
Eye damage or irritation	SPLASHES IN THE EYES MAY CAUSE IRRITATION AND REVERSIBLE DAMAGE.
Respiratory or skin sensitivity	EXPOSURE TO VAPOURS FROM SOLVENTS IN THE MIXTURE IN EXCESS OF THE STATED OCCUPATIONAL
	EXPOSURE LIMIT MAY RESULT IN ADVERSE HEALTH EFFECTS SUCH AS MUCOUS MEMBRANE AND RESPIRATORY
	SYSTEM IRRITATION AND ADVERSE EFFECTS ON KIDNEY, LIVER AND CENTRAL NERVOUS SYSTEM. SYMPTOMS
	PRODUCED WILL INCLUDE HEADACHES, NUMBNESS, DIZZINESS, FATIGUE, MUSCULAR ASTHENIA AND, IN
	EXTREME CASES, LOSS OF CONSCIOUSNESS.
Germ cell mutagenicity	NO DATA.
Carcinogenicity	MONOGRAPH(S) FROM THE IARC (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER): CAS 5989-27-5 : IARC
	GROUP 3 : THE AGENT IS NOT CLASSIFIABLE AS TO ITS CARCINOGENICITY TO HUMANS.
Reproductive toxicity	NO DATA.
STOT – single exposure	NO DATA.
STOT – repeated exposure	NO DATA.
Aspiration hazard	NO DATA.
Other information	NO DATA.

SECTION 12: Ecological Information	
12.1 Toxicity	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. THE PRODUCT MUST NOT BE ALLOWED TO RUN INTO DRAINS OR WATERWAYS.

Page 6 of 9

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

12.2 Persistence & degradability	NO DATA.
12.3 Bio- accumulative potential	NO DATA.
12.4 Mobility in soil	NO DATA.
12.5 Results of PBT & VPVB assessment	NO DATA.
12.6 Other adverse effects	NO DATA.

SECTION 13: Disposal Information	
13.1	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT
Waste treatment methods	SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

SECTION 14: Transport Information	
14.1	
Transport Information	
UN NUMBER	ROAD: 1169
	SEA: 1169
	AIR: 1169
14.2	
UN Shipping Name	EXTRACTS, AROMATIC, LIQUID.
14.3	ADR/RID/ADN CLASS: 3
TRANSPORT HAZARD CLASS(ES)	IMDG CLASS: 3
	ICAO CLASS/DIVISION: 3
	TRANSPORT LABELS:
	FLAMMABLE
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III
	IMDG PACKING GROUP III
	ICAO PACKING GROUP III
14.5	ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT.
ENVIROMENTAL HAZARDS	\wedge
	/¥
	\sim
14.6	
SPECIAL PRECAUTIONS FOR USER	SEE SECTIONS 6-8.
14.7	
TRANSPORT IN BULK ACCORDING TO ANNEX II	NONE.
OF MARPOL73/78 & THE IBC CODE.	

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 7 of 9

SECTION 15: Regulatory Information	
15.1 Product specific safety, health & environmental regulations & legislation	
EU Directives	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
Statutory Instruments Approved Code of Practice	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716). CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA
Guidance Notes	SHEETS FOR SUBSTANCES & PREPARATIONS. WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: Other Information	
	H226 FLAMMABLE LIQUID AND VAPOUR.
STATEMENTS IN FULL	H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS.
	H315 CAUSES SKIN IRRITATION.
	H317 MAY CAUSE AN ALLERGIC SKIN REACTION.
	H319 CAUSES SERIOUS EYE IRRITATION.
	H400 VERY TOXIC TO AQUATIC LIFE.
	H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
	H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Training Instructions: Refer to possible hazard bef	pre use of this product.
Abbreviations & Acronyms:	
MSDS	Material Safety Data Sheet.
INCI	International Nomenclature of Cosmetic Ingredients.
CAS	Chemical Abstract Service.
IMDG	International Maritime code for Dangerous Goods.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European Agreement concerning
	the international Carriage of Dangerous goods by Road).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	Globally Harmonized System of classification & labelling of chemicals.
Trem Card	Transport Emergency Card.
STOT	Specific Target Organ Toxicity.

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 8 of 9

Q.C. REQUIREMENTS. In-line with general product specification. Always satisfy suitability for specific application.

Disclaimer.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

AKOMA FROM THE HEART

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby

Tel: +44 (0) 1332 613 967 E-mail: support@akoma.zendesk.com

DE21 6AS

Page 9 of 9

Frankincense Essential Oil Organic - MSDS