

AKÖMA™

FROM THE HEART

Material Safety Data Sheet

In accordance with REACH Regulation EC No.1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identification	
Product Name	CINNAMON LEAF ESSENTIAL OIL
Biological Definition	CITRUS BERGAMIA PEEL OIL EXPRESSED IS AN ESSENTIAL OIL EXPRESSED FROM THE EPICARPS OF THE BERGAMOT, CITRUS BERGAMIA RISSO, RUTACEAE.
INCI Name	CINNAMOMUM ZEYLANICUM LEAF OIL
Synonyms & Trade Names	NA
CAS Number	84649-98-9
REACH REG:	01-2119487278-23
Relevant identified uses of the substance of mixture and uses advised against	FRAGRANCE USE
1.2 Details of the supplier of the safety data sheet	
Company Address	AKOMA INTERNATIONAL (UK) LTD UNIT 9A SAWLEY PARK NOTTINGHAM ROAD DERBY DE21 6AS UNITED KINGDOM
Email	TECHNICAL@AKOMA.BIZ
1.3 Details of the supplier of the safety data sheet	
Emergency Contacts	MR. WYNN MENSAH – Tel: 01332 613 967

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.	
Classification (EU1272/2008)	EYE DAMAGE/ IRRITATION CATEGORY 2 GERM CELL MUTAGENICITY CATEGORY 2 CARCINOGENICITY CATEGORY 1B HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD CATEGORY 3 H317, MAY CAUSE AN ALLERGIC SKIN REACTION.

Akoma International (UK) LTD

Unit 9A Sawley Park



Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

	H319, CAUSES SERIOUS EYE IRRITATION. H341, SUSPECTED OF CAUSING GENETIC DEFECTS (EXPOSURE ROUTE). H350, MAY CAUSE CANCER (EXPOSURE ROUTE). H412, HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.			
2.2	Label Elements LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.			
GHS Label	GHS07  GHS08 			
Other hazards	NONE			
Signal Word	DANGER.			
Hazards Statement	H317, MAY CAUSE AN ALLERGIC SKIN REACTION. H319, CAUSES SERIOUS EYE IRRITATION. H341, SUSPECTED OF CAUSING GENETIC DEFECTS (EXPOSURE ROUTE). H350, MAY CAUSE CANCER (EXPOSURE ROUTE). H412, HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.			
M Factor	NONE			
Precautionary Statements	P202, DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. P261, AVOID BREATHING VAPOUR OR DUST. P264, WASH HANDS AND OTHER CONTACTED SKIN THOROUGHLY AFTER HANDLING. P272, CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P273, AVOID RELEASE TO THE ENVIRONMENT. P280, WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. P302/352, IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P305/351/338, IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. P308/313, IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION. P333/313, IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P337/313, IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION. P363, WASH CONTAMINATED CLOTHING BEFORE REUSE. P405, STORE LOCKED UP. P501, DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS.			
Supplementary Precautionary Statements	NONE.			
	Section 16 (Other Information): Risk & Safety phrases in full.			
2.3	Other Hazards			
Adverse physio-chemical properties	NO DATA.			
Adverse effects on human health	NO DATA.			
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.			
SECTION 3: Composition of Ingredients				
3.1	Substances PRODUCT IDENTIFIER: CINNAMOMUM ZEYLANICUM; CAS: 84649-98-9; REACH REG: 01-21 19487278-23			
Contains				
Eugenol	97-53-0	202-589-1	50-100%	EDI 2-SS 1B; H317-H319 -
Linalool	78-70-6	201-134-4	1-<5%	SDI 2-EDI 2-SS 1B;H315-H317-H319-
Benzyl Benzoate	120-51-4	204-402-9	01-2119976371-33	1-<5% ATO 4-EH A1-EH C2; H302-H400-H411 -

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Cinnamal	104-55-2	203-213-9	1-<5%	ATD 4-SCI 2-EDI 2-SS 1;H312-H315-H317- H319-
Safrole	94-59-7	202-345-4	1-<5%	ATO 4-MUT 2-CAR 1B; H302-H341 -H350-
Cinnamyl Alcohol	104-54-1	203-212-3	1-<5%	SS 1B;H317,-

SUBSTANCES WITH COMMUNITY WORKPLACE EXPOSURE LIMITS:

Name	CAS	EC	%
Benzyl Benzoate	120-51-4	204-402-9	1-<5%

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures	
General Information	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.
Skin Contact	WASH WITH PLENTY OF SOAP AND WATER.
Eye Contact	RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
4.2 Most important symptoms & effects (Acute & Delayed)	MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. SUSPECTED OF CAUSING GENETIC DEFECTS (EXPOSURE ROUTE). MAY CAUSE CANCER (EXPOSURE ROUTE).
4.3 Indication of any immediate medical attention or special treatment required	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.

SECTION 5: Fire Fighting Measures

5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 Special hazards arising from the substance Or mixture	IN CASE OF FIRE, MAY BE LIBERATED: CARBON MONOXIDE, UNIDENTIFIED ORGANIC COMPOUNDS.
5.3 Advice for fire-fighters	IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT.


SECTION 6: Accidental Release Measures

6.1 Personal precautions	AVOID INHALATION. AVOID CONTACT WITH SKIN AND EYES. SEE PROTECTIVE MEASURES UNDER SECTION 7 AND 8.
6.2 Environmental precautions	KEEP AWAY FROM DRAINS, SURFACE AND GROUND WATER, AND SOIL.
6.3 Methods & material for containment and cleaning up	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 References to other sections	ALSO REFER TO SECTIONS 8 AND 13.

SECTION 7: Handling & Storage

7.1 Precautions for safe-handling	KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 Conditions for safe storage, including any incompatibilities	STORE IN A WELL-VENTILATED PLACE. KEEP CONTAINER TIGHTLY CLOSED. KEEP COOL. GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. USE EXPLOSION-PROOF ELECTRICAL, VENTILATING AND LIGHTING EQUIPMENT. USE ONLY NON-SPARKING TOOLS. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE.
7.3 Specific end use(s)	USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES.

SECTION 8: Exposure Controls & Personal Protection

8.1 Control Parameters	<p>WORKPLACE EXPOSURE LIMITS:</p> <table border="1"> <thead> <tr> <th>Ingredient</th> <th>CAS</th> <th>EC</th> <th>Description</th> <th>Value</th> </tr> </thead> <tbody> <tr> <td rowspan="3">Benzyl Benzoate</td> <td rowspan="3">120-51-4</td> <td rowspan="3">204-402-9</td> <td>UK WEL Long term mgm3</td> <td>5.1 mg/m³</td> </tr> <tr> <td>UK WEL Short term mgm3</td> <td>102 mg/m³</td> </tr> <tr> <td>Long-term exposure limit (8-hour TWA) (mg/m3)</td> <td>2.6</td> </tr> </tbody> </table>	Ingredient	CAS	EC	Description	Value	Benzyl Benzoate	120-51-4	204-402-9	UK WEL Long term mgm3	5.1 mg/m ³	UK WEL Short term mgm3	102 mg/m ³	Long-term exposure limit (8-hour TWA) (mg/m3)	2.6
Ingredient	CAS	EC	Description	Value											
Benzyl Benzoate	120-51-4	204-402-9	UK WEL Long term mgm3	5.1 mg/m ³											
			UK WEL Short term mgm3	102 mg/m ³											
			Long-term exposure limit (8-hour TWA) (mg/m3)	2.6											
8.2 Exposure Controls															
Eye Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.														
Hand Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.														
Respiratory Equipment	<p>ENSURE ADEQUATE AND ONGOING VENTILATION IS MAINTAINED IN ORDER TO PREVENT BUILD UP OF EXCESSIVE VAPOUR AND TO ENSURE OCCUPATIONAL EXPOSURE LIMITS ARE ADHERED TO. IF APPROPRIATE, AND DEPENDING ON YOUR PATTERNS AND VOLUMES OF USE, THE FOLLOWING ENGINEERING CONTROLS MAY BE REQUIRED AS ADDITIONAL PROTECTIVE MEASURES:</p> <p>A) ISOLATE MIXING ROOMS AND OTHER AREAS WHERE THIS MATERIAL IS USED OR OPENLY HANDLED. MAINTAIN THESE AREAS UNDER NEGATIVE AIR PRESSURE RELATIVE TO THE REST OF THE PLANT.</p> <p>B) EMPLOY THE USE OF PERSONAL PROTECTIVE EQUIPMENT - AN APPROVED, PROPERLY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGES OR CANISTERS AND PARTICULATE FILTERS.</p> <p>C) USE LOCAL EXHAUST VENTILATION AROUND OPEN TANKS AND OTHER OPEN SOURCES OF POTENTIAL EXPOSURES IN ORDER TO AVOID EXCESSIVE INHALATION, INCLUDING PLACES WHERE THIS MATERIAL IS OPENLY WEIGHED OR MEASURED. IN ADDITION, USE GENERAL DILUTION VENTILATION OF THE WORK AREA TO ELIMINATE OR REDUCE POSSIBLE WORKER EXPOSURES.</p> <p>D) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL.</p> <p>ALSO REFER TO SECTIONS 2 AND 7.</p>														
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.														
Engineering Measures	PROVIDE ADEQUATE VENTILATION OR RESPIRATORY PROTECTION.														
Skin Protection	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.														
Personal Protection	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.														

Other Protection	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
Environmental Exposure Controls	AVOID DISCHARGING INTO DRAINAGE WATER. ONLY ELIMINATE BY AUTHORISED COMPANIES.

SECTION 9: Physical & Chemical Properties

9.1 Physical & Chemical Properties	
Appearance	LIQUID
Colour	YELLOW, PALE BROWN, REDDISH BROWN
Odour	CHARACTERISTIC
Relative Density	1.020 – 1.060 @ 20°C
Flash Point (°C)	88 °C
Refractive Index	1.525 – 1.595 @ 20°C
Solubility In Water @ 20 °C	INSOLUBLE IN WATER
9.2 Other Information	NO DATA.

SECTION 10: Stability & Reactivity

10.1 Reactivity	PRESENTS NO SIGNIFICANT REACTIVITY HAZARD, BY ITSELF OR IN CONTACT WITH WATER.
10.2 Chemical stability	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 Possibility of hazardous reactions	NOT EXPECTED UNDER NORMAL CONDITIONS OF USE.
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
10.5 Incompatible materials	AVOID CONCENTRATED ACIDS, ALKALIS & OXIDISING AGENTS.
10.6 Hazardous decomposition products	NOT EXPECTED UNDER NORMAL TEMPERATURE CONDITIONS AND RECOMMENDED USE. THERMAL DECOMPOSITION MAY RELEASE/FORM OXIDES OF CARBON (CARBON MONOXIDE, CARBON DIOXIDE) AND OTHER TOXIC GASES.

SECTION 11: Toxicological Information

11.1 Toxicological effects	
Acute Toxicity	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET. ACUTE TOXICITY ORAL 2316 ACUTE TOXICITY DERMAL >5000 ACUTE TOXICITY INHALATION NOT AVAILABLE
Skin irritation	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET.
Eye damage or irritation	EYE DAMAGE I IRRITATION CATEGORY 2
Respiratory or skin sensitivity	SENSITIZATION - SKIN CATEGORY 1

Germ cell mutagenicity	GERM CELL MUTAGENICITY CATEGORY 2
Carcinogenicity	CARCINOGENICITY CATEGORY 1B
Reproductive toxicity	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET.
STOT – single exposure	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET.
STOT – repeated exposure	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET.
Aspiration hazard	BASED ON AVAILABLE DATA THE CLASSIFICATION CRITERIA ARE NOT MET.
Other information	NO DATA

Information about hazardous ingredients in the mixture:

Ingredient	CAS	EC	LD50/ATE Oral	LOSO/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Benzyl Benzoate	120-51-4	204-402-9	1500	4000	Not available	Not available
Cinnamal	104-55-2	203-213-9	2500	1100	Not available	Not available
Safrole	94-59-7	202-345-4	1950	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information

SECTION 12: Ecological Information	
12.1 Toxicity	HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
12.2 Persistence & degradability	NOT AVAILABLE
12.3 Bio- accumulative potential	NOT AVAILABLE
12.4 Mobility in soil	NOT AVAILABLE
12.5 Results of PBT & VPVB assessment	THIS SUBSTANCE DOES NOT MEET THE PBT/VPVB CRITERIA OF REACH, ANNEX XIII.
12.6 Other adverse effects	THIS MATERIAL CONTAINS *% VOLATILE ORGANIC 0.2 %

SECTION 13: Disposal Information	
13.1 Waste treatment methods	DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS. AVOID DISPOSING INTO DRAINAGE SYSTEMS AND INTO THE ENVIRONMENT. EMPTY CONTAINERS SHOULD BE TAKEN TO AN APPROVED WASTE HANDLING SITE FOR RECYCLING OR DISPOSAL.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

SECTION 14: Transport Information

14.1 Transport Information	
UN Number	NOT CLASSIFIED
14.2 UN Shipping Name	NOT CLASSIFIED
14.3 TRANSPORT HAZARD CLASS(ES)	NOT CLASSIFIED
14.4 PACKING GROUP	NOT CLASSIFIED
14.5 ENVIROMENTAL HAZARDS	NOT ENVIRONMENTALLY HAZARDOUS FOR TRANSPORT
14.6 SPECIAL PRECAUTIONS FOR USER	NONE ADDITIONAL
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NOT CLASSIFIED

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
Water Hazard Class (WGK):	2
EU Directives	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 199/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
Statutory Instruments	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
Guidance Notes	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	A CHEMICAL SAFETY ASSESSMENT HAS NOT BEEN CARRIED OUT FOR THIS PRODUCT.

SECTION 16: Other Information

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	CONCENTRATION % LIMITS: EH C3=83.33% EDI 2=10.87% SS 1=1.18% MUT 2=50.00% CAR 18=5.00% TOTAL FRACTIONAL VALUES: EH C3=1.20 EDI 2=9.20 SS 1=85.00 MUT 2=2.00 CAR 18=20.00
--	---

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Cinnamon Leaf Essential Oil - MSDS

Training Instructions: Refer to possible hazard before use of this product.

ABBREVIATION	MEANING
ATD4	ACUTE TOXICITY - DERMAL CATEGORY 4
ATO4	ACUTE TOXICITY - ORAL CATEGORY 4
CAR1B	CARCINOGENICITY CATEGORY 1B
EDL2	EYE DAMAGE/ IRRITATION CATEGORY 2
EHA1	HAZARDOUS TO THE AQUATIC ENVIRONMENT - ACUTE HAZARD CATEGORY 1
EH C2	HAZARDOUS TO THE AQUATIC ENVIRONMENT - LONG-TERM HAZARD CATEGORY 2
H302	HARMFUL IF SWALLOWED.
H312	HARMFUL IN CONTACT WITH SKIN.
H315	CAUSES SKIN IRRITATION.
H317	MAY CAUSE AN ALLERGIC SKIN REACTION.
H319	CAUSES SERIOUS EYE IRRITATION.
H341	SUSPECTED OF CAUSING GENETIC DEFECTS (EXPOSURE ROUTE).
H350	MAY CAUSE CANCER (EXPOSURE ROUTE).
H400	VERY TOXIC TO AQUATIC LIFE.
H411	TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
MUT2	GERM CELL MUTAGENICITY CATEGORY 2
P202	DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.
P261	AVOID BREATHING VAPOUR OR DUST.
P264	WASH HANDS AND OTHER CONTACTED SKIN THOROUGHLY AFTER HANDLING.
P270	DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
P272	CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE.
P273	AVOID RELEASE TO THE ENVIRONMENT.
P280	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
P281	USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED.
P301/312	IF SWALLOWED: CALL A POISON CENTER OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.
P302/352	IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER.
P305/351 /338	IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
P308/313	IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.
P312	CALL A POISON CENTRE OR DOCTOR/PHYSICIAN IF YOU FEEL UNWELL.
P330	RINSE MOUTH.
P333/313	IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION.
P337/313	IF EYE IRRITATION PERSISTS: GET MEDICAL ADVICE/ATTENTION.
P362	TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE.
P363	WASH CONTAMINATED CLOTHING BEFORE REUSE.
P391	COLLECT SPILLAGE.
P405	STORE LOCKED UP.
P5D1	DISPOSE OF CONTENTS/CONTAINER TO APPROVED DISPOSAL SITE, IN ACCORDANCE WITH LOCAL REGULATIONS.
SCI 2	SKIN CORROSION/ IRRITATION CATEGORY 2
SS 1	SENSITIZATION - SKIN CATEGORY 1

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

LEGAL DISCLAIMER:

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

Revised: 2021

AKÖMA™
FROM THE HEART

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com