

Material Safety Data Sheet EU Regulation: 1907/2006

SECTION 1. Identificant		·	d of the com		• • • • • •	
	tion of the substance/m	Ixfure an	a of the com	ipany/under	τακιης	
1.1 Product Identification						
Froduct identification						
Product Name	LEMONGRASS ESSENTIAL OIL					
Biological Definition	CYMBOPOGON CITRATUS LEA CITRATUS, POACEAE. IT CONT					HE LEMON GRASS, CYMBOPOGON ANIOL, LIMONENE
INCI Name	CYMBOPOGON CITRATUS LEA	FOIL				
Synonyms & Trade Names	-					TM
Internal Product Code	K0259					
CAS-No	89998-14-1	EC No.	289-752-0	EINECS No.	289-752-0	
1.2 Details of the supplier of the s	afety data sheet					
	Akoma International (UK) LTD					
Company Address	Unit 9A Sawley Park Nottingham Road	TT 1	1 -	HE	- A [TC
	Derby				- A I	\leq
	DE21 6AS Tel: +44 (0) 1332 613 967		1.1		- / \	× 1
Email	technical@akoma.biz					
1.3	I					
Details of the supplier of the s						
Emergency Contacts	Mr. Wynn Mensah – Tel: 01332	2 613 967				
	1					

SECTION 2: Hazards Identification		
2.1		
Classification of the substance of	or mixture THE FULL TEXT FOR ALL HA	ZARD STATEMENTS IS DISPLAYED IN SECTION 16.
classification (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.	
	PHYSICAL AND CHEMICAL HAZARDS:	NOT CLASSIFIED.
Classification (EU1272/2008)	HUMAN HEALTH ASP:	SKIN IRRIT. 2 - H315; EYE DAM. 1 - H318;SKIN SENS. 1 - H317
	ENVIRONMENT:	AQUATIC CHRONIC 2 - H411
2.2		
Label Elements	Label in accordance with Regulation (EC) No 1	272/2008.

Page 1 of 8

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road

DE21 6AS

Tel: +44 (0) 1332 613 967

GHS Label	GHS05 GHS07 GHS09
Signal Word	DANGER.
Contains	CITRAL, GERANIOL
Hazards Statement	H315CAUSES SKIN IRRITATION.H317CAUSE AN ALLERGIC SKIN REACTION.H318CAUSES SERIOUS EYE DAMAGE.H411TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Precautionary Statements	 P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P261 AVOID BREATHING VAPOUR/SPRAY. P264 WASH CONTAMINATED SKIN THOROUGHLY AFTER HANDLING. P305+351+338 IF IN EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING.
Supplementary Precautionary Statements	P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P310 IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P332+313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION. P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P391 COLLECT SPILLAGE. P321 SPECIFIC TREATMENT (SEE MEDICAL ADVICE ON THIS LABEL). P501 DISPOSE OF CONTENTS/CONTAINER TO
2.3	SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.
Other Hazards	
Adverse physio-chemical properties	NO DATA
Adverse effects on human health	NO DATA
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA
SECTION 3: Compositio	n of Ingredients
3.1	70.0 – 78.0% CITRAL CAS-NO.: 5392-40-5 EC NO.: 226-394-6
Mixtures	CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317
	4.0 – 6.0% GERANIOL CAS-NO.: 106-24-1 EC NO.: 203-377-1 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE DAM. 1 - H318, SKIN SENS. 1 - H317
	1.0 – 2.5% LIMONENE CAS-NO.: 5989-27-5 EC NO.: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304 AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410

SECTION 4: First Aid Measures

4.1

Description of First Aid Measures

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 2 of 8

General Information	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
Inhalation	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL
	ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION
	PERSISTS.
Eye Contact	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2	
Most important symptoms &	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING.
effects (Acute & Delayed)	INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM.
	SKIN CONTACT TOXIC IN CONTACT WITH SKIN.
	EYE CONTACT MAY CAUSE EYE IRRITATION.
4.3	
Indication of any immediate	NONE EXPECTED, SEE SECTION 4.1 FOR FURTHER INFORMATION.
medical attention or special	
treatment required	
effects (Acute & Delayed) 4.3 Indication of any immediate medical attention or special	INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM SKIN CONTACT TOXIC IN CONTACT WITH SKIN. EYE CONTACT MAY CAUSE EYE IRRITATION.

SECTION 5: Fire Fighting	Measures
5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 Special hazards arising from the substance Or mixture	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: Accidental	Release Measures
6.1 Personal precautions	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, AND WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 Methods & material for containment and cleaning up	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 References to other sections	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

SECTION 7: Handling &	Storage
7.1	
Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2	
Conditions for safe storage,	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF
including any incompatibilities	IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3	
Specific end use(s)	NO DATA.

Akoma International (UK) LTD
Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS
Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 3 of 8

8.1 Control Parameters LINALOOL (CAS: 78-70-6) INGREDIENT COMMENTS: NO EXPOSURE LIMITS NOTED FOR INGREDIENT(S). 8.2 Exposure Controls INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8.2 Exposure Controls INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8.4 INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8.7 INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8.8 INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8.9 INGREDIENT COMMENTS: WEL = WORKPLACE EXPOSURE LIMITS 8 VEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. 9 VEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PR	SECTION 8: Exposure Co	ntrols & Personal Protection
Exposure ControlsWEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.Beye ProtectionWEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.Hand ProtectionWEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.Respiratory EquipmentUNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH DRO PROLONOED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYES. CONTACT.PERSONAL PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		
Hand Protection WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. Respiratory Equipment UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL ALSO REFER TO SECTIONS 2 AND 7. Hygiene Measures GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. Skin PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION WEAR PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	*	
Hand Protection WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. Respiratory Equipment UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL ALSO REFER TO SECTIONS 2 AND 7. Hygiene Measures GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. Skin PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION WEAR PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	Eve Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONAVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		
EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.PERSONAL PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.	Respiratory Equipment	
OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THEFOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONAVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		
OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONAVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		
RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FORTRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONAVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		
FORTRANSFERRING AND PROCESSING THIS MATERIAL ALSO REFER TO SECTIONS 2 AND 7.Hygiene MeasuresGOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.Engineering MeasuresNONE.SKIN PROTECTIONWEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.PERSONAL PROTECTIONAVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.OTHER PROTECTIONWEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.PROCESS CONDITIONSENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.ENVIROMENTAL EXPOSUREAVOID DISCHARGING INTO DRAINAGE WATER.		OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED
Hygiene Measures GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS. Engineering Measures NONE. SKIN PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.		RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS
Engineering Measures NONE. SKIN PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.		FORTRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
SKIN PROTECTION WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT. PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
PERSONAL PROTECTION AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	Engineering Measures	NONE.
OTHER PROTECTION WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS. PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PROCESS CONDITIONS ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH. ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.
ENVIROMENTAL EXPOSURE AVOID DISCHARGING INTO DRAINAGE WATER.	OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
	PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
CONTROLS	ENVIROMENTAL EXPOSURE	AVOID DISCHARGING INTO DRAINAGE WATER.
	CONTROLS	

SECTION 9: Physical & Chemical Properties

9.1	
Physical & Chemical Properties	
	ALL THE HEADT
Appearance	LIQUID
Colour	YELLOW – ORANGE - AMBER
Odour	CHARACTERISTIC, CITRAL, FRESH,
	INTENSE
Relative Density	0.869 – 0.910 @ 20°C
Flash Point (°C)	71.0 - 85.0 °C
Refractive Index	1.460 - 1.490 @ 20°C
Solubility in Water @ 20°C	1:10 V/V ETHANOL 90%
9.2	
Other Information	NO DATA.

SECTION 10: Stability & Reactivity		
10.1 Reactivity	PRESENTS NO SIGNIFICANT REACTIVITY HAZARDS, BY ITSELF OR IN CONTACT WITH WATER. STABLE UNDER NORMAL TEMPERATURE AND STORAGE CONDITIONS AND RECOMMENDED USE.	
10.2 Chemical stability	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).	
10.3	NO.	

Page 4 of 8

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road

Derby DE21 6AS Tel: +44 (0) 1332 613 967

Possibility of hazardous reactions	
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15° C.
10.5 Incompatible materials	P.V.C
10.6 Hazardous decomposition products	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: Toxicological Information

11.1

Toxicological effects

Acute Toxicity	TOXIC DOSE 1 - LD 50 4400 MG/KG (ORAL RAT) TOXIC DOSE 2 - LD 50 >2000
Skin irritation	MAY CAUSE SENSITISATION BY SKIN CONTACT.
Eye damage or irritation	SPRAY AND VAPOUR IN THE EYES MAY CAUSE IRRITATION AND SMARTING.
Respiratory or skin sensitivity	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
Germ cell mutagenicity	NEGATIVE. (SOURCE CSR).
Carcinogenicity	NOT APPLICABLE.
Reproductive toxicity	NOT APPLICABLE.
STOT – single exposure	NOT APPLICABLE.
STOT – repeated exposure	NOT APPLICABLE.
Aspiration hazard	MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS (H304).
Other information	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.

SECTION 12: Ecological Information

12.1 Toxicity	DANGEROUS FOR THE ENVIRONMENT: MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
12.2 Persistence & degradability	NO DATA.
12.3 Bio- accumulative potential	NO DATA.
12.4 Mobility in soil	NO DATA.
12.5 Results of PBT & VPVB assessment	NO DATA.

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 5 of 8

DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

SECTION 13: Disposal Information	
13.1	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT
Waste treatment methods	IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.

Transport Information CAD: 3082 Art: 3082 Art: 3082 14.2 UN SHIPPING NAME ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S. 14.3 TRANSPORT HAZARD DAP/RID/ADN CLASS. 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. INCO CLASS/DIVISION. 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. INCO PACKING GROUP III III EMPERATION FOR INCO PACKING GROUP III III EMPERATION FOR III EMPERATION FOR III EMPERATION FOR III EMPERATION FOR III EMPERATION FOR III EMPERATION FOR III. III. III. <th colspan="3">SECTION 14: Transport Information</th>	SECTION 14: Transport Information		
UN NUMBER PAIL: 3082 AIR: 3082 14.2 ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S. 14.3 ADR/RID/ADN CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. IMDE CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS; 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. 14.4 PACKING GROUP 14.5 ENVIRONMENTAL HAZARDS ENVIRONMENTAL HAZARDS ENVIRONMENTAL HAZARDS ENVIRONMENTAL HAZARD ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT IAS SPECIAL PRECAUTIONS FOR USER LAS FANSTORT IN BULK ACCORDING TO ANNEX II OF NO ADDITIONAL DATA.	14.1 Transport Information		
UN SHIPPING NAME ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S. 14.3 ADR/RID/ADN CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. INDG CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS/DIVISION: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ILA Image: Class de	UN NUMBER	RAIL: 3082	
TRANSPORT HAZARD CLASS(ES) ADR/RID/ADN CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. IMDG CLASS IAG 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS/DIVISION: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS/DIVISION: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS/DIVISION: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ITANSPORT LABELS IAA ADR/RID/ADN PACKING GROUP III III III III III IAA PACKING GROUP III III III III III IAA PACKING GROUP III IIII IIII IIII IIII IAA PACKING GROUP IIII IIII IIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	14.2 UN SHIPPING NAME	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID N.O.S.	
PACKING GROUP ADR/RID/ADN PACKING GROUP III ENVIRONG 14.5 ENVIROMENTAL HAZARDS ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 14.6 SPECIAL PRECAUTIONS FOR USER EMS F-A-S-F EMERGENCY ACTION CODE 3Z HAZARD NO. (ADR) 90 ENVIRONMENTALLY HAZARDOUS SUBSTANCE; MISCELLANEOUS DANGEROUS SUBSTANCES. TUNNEL RESTRICTION CODE (E) 14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF NO ADDITIONAL DATA.	14.3 TRANSPORT HAZARD CLASS(ES)	IMDG CLASS: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES. ICAO CLASS/DIVISION: 9 MISCELLANEOUS DANGEROUS SUBSTANCES AND ARTICLES.	
ENVIROMENTAL HAZARDS ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT Id.6 Image: Special precautions for special precautions (addr) 90 Environmentally Hazardous Substance; miscellaneous dangerous substances. Tunnel restriction code (E) 14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF	14.4 PACKING GROUP	IMDG PACKING GROUP III	
SPECIAL PRECAUTIONS FOR USER EMS F-A-S-F EMERGENCY ACTION CODE 3Z HAZARD NO. (ADR) 90 ENVIRONMENTALLY HAZARDOUS SUBSTANCE; MISCELLANEOUS DANGEROUS SUBSTANCES. TUNNEL RESTRICTION CODE (E) 14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF NO ADDITIONAL DATA.	14.5 ENVIROMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT	
TRANSPORT IN BULK NO ADDITIONAL DATA. ACCORDING TO ANNEX II OF	14.6 SPECIAL PRECAUTIONS FOR USER	EMERGENCY ACTION CODE 3Z HAZARD NO. (ADR) 90 ENVIRONMENTALLY HAZARDOUS SUBSTANCE; MISCELLANEOUS DANGEROUS SUBSTANCES.	
	14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NO ADDITIONAL DATA.	

Page 6 of 8

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

SECTION 15: Regulatory Information 15.1 Product specific safety, health & environmental regulations & legislation REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A **EU Directives** EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS). THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716). Statutory Instruments CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY, SAFETY DATA SHEETS FOR **Approved Code of Practice** SUBSTANCES & PREPARATIONS. **Guidance Notes** WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108. 15.2 **Chemical Safety Assessment**

SECTION 16: Other Information

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL Training Instructions: Refer to po	H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Dessible hazard before use of this product.
Abbreviations & Acronyms:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MERCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	

RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM Card	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

Legal Disclaimer:

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied,

Page 7 of 8

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

AKOMATING THE ART

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 8 of 8