

AKÖMA™

FROM THE HEART

Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1					
Product Identification					
Product Name	ORANGE SWEET ESSENTIAL OIL				
Biological Definition	CITRUS AURANTIUM DULCIS PEEL OIL EXPRESSED IS AN ESSENTIAL OIL EXPRESSED FROM THE FRESH EPICARPS OF THE SWEET ORANGE, CITRUS AURANTIUM L. VAR. DULCIS L. (SYN: CITRUS SINENSIS),				
INCI Name	CITRUS AURANTIUM DULCIS				
Synonyms & Trade Names	-				
Internal Product Code	K0321				
CAS-No	8028-48-6	EC No.	232-433-8	EINECS No.	232-433-8
1.2					
Details of the supplier of the safety data sheet					
Company Address	Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967				
Email	technical@akoma.biz				
1.3					
Details of the supplier of the safety data sheet					
Emergency Contacts	Mr. Wynn Mensah – Tel: 01332 613 967				

SECTION 2: Hazards Identification	
2.1	
Classification of the substance or mixture	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
	THE FULL TEXT FOR HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
HUMAN HEALTH	ASPIRATION HAZARD, SKIN CORROSION / IRRITATION AND SKIN SENSITISATION
ENVIRONMENT	THE PRODUCT CONTAINS A SUBSTANCE WHICH IS HARMFUL TO AQUATIC ORGANISMS
AND WHICH	MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
PHYSICAL AND CHEMICAL HAZARDS	THIS PRODUCT IS FLAMMABLE

Akoma International (UK) LTD

Unit 9A Sawley Park





Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Classification (EU 1272/2008)	PHYSICAL AND CHEMICAL HAZARDS FLAM. LIQ. 3 - H226 HUMAN HEALTH SKIN IRRIT. 2 - H315; SKIN SENS. 1 - H317; ASP. TOX. 1 - H304 ENVIRONMENT AQUATIC CHRONIC 1 - H410
2.2 Label Elements	Label in accordance with Regulation (EC) No 1272/2008.
GHS Label	   
Signal Word	DANGER
Contains	ALPHA PINENE NATURAL, A-TERPINEOL (P-MENTH-1-EN-8-OL), CITRAL, CITRONELLAL, DECANAL, D-LIMONENE, LINALOOL, MYRCENE (7-METHYL-3-METHYLENEOCTA-1,6-DIENE), OCTANAL
Hazards Statement	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Precautionary Statements	P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/.../EQUIPMENT. P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P262 DO NOT GET IN THE EYES, ON SKIN, OR ON CLOTHING. P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER.
Supplementary Precautionary Statements	P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. P242 USE ONLY NON-SPARKING TOOLS. P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P264 WASH ... THOROUGHLY AFTER HANDLING. P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P321 SPECIFIC TREATMENT (SEE ... ON THIS LABEL). P331 DO NOT INDUCE VOMITING. P332+313 IF SKIN IRRITATION OCCURS: GET MEDICAL ADVICE/ATTENTION. P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P362 TAKE OFF CONTAMINATED CLOTHING AND WASH BEFORE REUSE. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P370+378 IN CASE OF FIRE: USE ... FOR EXTINCTION. P391 COLLECT SPILLAGE. P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL. P405 STORE LOCKED UP. P501 DISPOSE OF CONTENTS/CONTAINER TO ...
SECTION 16 (OTHER INFORMATION): RISK & SAFETY PHRASES IN FULL.	
2.3 Other Hazards	
Adverse physio-chemical properties	NO DATA.
Adverse effects on human health	NO DATA.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

SECTION 3: Composition of Ingredients

3.1 Mixtures	≤ 97.0% D-LIMONENE CAS-NO: 5989-27-5 EC NO.: 227-813-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317 ASP. TOX. 1 - H304, AQUATIC ACUTE 1 - H400, AQUATIC CHRONIC 1 - H410
	1.0 – 5.0% A-PINENE NATURAL CAS-NO: 80-56-8 EC NO.: 201-291-9 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304
	1.0 – 5.0% A-TERPINEOL (P-MENTH-1-EN-8-OL) CAS-NO: 98-55-5 EC NO.: 202-680-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319
	1.0 – 5.0% CITRAL CAS-NO: 5392-40-5 EC NO.: 226-394-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317
	1.0 – 5.0% CITRONELLAL CAS-NO: 106-23-0 EC NO.: 203-376-6 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, AQUATIC CHRONIC 2 - H411
	1.0 – 5.0% DECANAL CAS-NO: 112-31-2 EC NO.: 203-957-4 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315, AQUATIC CHRONIC 3 - H412
	1.0 – 5.0 LINALOOL CAS-NO: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008): SKIN IRRIT. 2 - H315
1.0 – 5.0 % MYRCENE (7-METHYL-3-METHYLENEOCTA-1,6-DIENE) CAS-NO: 123-35-3 EC NO.: 204-622-5 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 ASP. TOX. 1 - H304	
1.0 – 5.0 % OCTANAL CAS-NO: 124-13-0 EC NO.: 204-683-8 CLASSIFICATION (EC 1272/2008): FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319 AQUATIC CHRONIC 3 - H412	

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures	
General Information	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
Inhalation	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
Eye Contact	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 Most important symptoms & effects (Acute & Delayed)	NO DATA.
4.3 Indication of any immediate medical attention or special treatment required	NO DATA.

SECTION 5: Fire Fighting Measures

5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Special hazards arising from the substance Or mixture	
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.


SECTION 6: Accidental Release Measures

6.1 Personal precautions	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, AND WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING.
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 Methods & material for containment and cleaning up	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS.
6.4 References to other sections	REFER & CONSIDER SECTION 8. REFER & CONSIDER SECTION 13.

SECTION 7: Handling & Storage

7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 Conditions for safe storage, including any incompatibilities	KEEP THE PRODUCT CONTAINER TIGHTLY CLOSED, IN A DRY, VENTILATED AREA. KEEP AWAY FROM POTENTIAL SOURCES OF IGNITION AND PROTECTED FROM LIGHT. MAINTAIN LIMITED CONTACT WITH OXYGEN.
7.3 Specific end use(s)	NO DATA.

SECTION 8: Exposure Controls & Personal Protection

8.1 Control Parameters	LINALOOL CAS NO: 78-70-6 NO EXPOSURE LIMITS NOTED FOR INGREDIENTS.
8.2 Exposure Controls	
Eye Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
Hand Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION.
Respiratory Equipment	UNDER NORMAL CONDITIONS OF USE AND WHERE ADEQUATE VENTILATION IS AVAILABLE TO PREVENT BUILD UP OF EXCESSIVE VAPOUR, THIS MATERIAL SHOULD NOT REQUIRE SPECIAL ENGINEERING CONTROLS. HOWEVER, IN CONDITIONS OF HIGH OR PROLONGED USE, OR HIGH TEMPERATURE OR OTHER CONDITIONS WHICH INCREASE EXPOSURE, THE FOLLOWING ENGINEERING CONTROLS CAN BE USED TO MINIMISE EXPOSURE TO PERSONNEL: A) INCREASE VENTILATION OF THE AREA WITH LOCAL EXHAUST VENTILATION. B) PERSONNEL CAN USE AN APPROVED, APPROPRIATELY FITTED RESPIRATOR WITH ORGANIC VAPOUR CARTRIDGE OR CANISTERS AND PARTICULATE FILTERS. C) USE CLOSED SYSTEMS FOR TRANSFERRING AND PROCESSING THIS MATERIAL. ALSO REFER TO SECTIONS 2 AND 7.
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
Engineering Measures	NONE.
SKIN PROTECTION	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
PERSONAL PROTECTION	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

OTHER PROTECTION	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
PROCESS CONDITIONS	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
ENVIRONMENTAL EXPOSURE CONTROLS	AVOID DISCHARGING INTO DRAINAGE WATER.

SECTION 9: Physical & Chemical Properties

9.1 Physical & Chemical Properties	
Appearance	LIQUID
Colour	ORANGE TO ORANGE RED.
Odour	CHARACTERISTIC
Relative Density	0.838 - 0.850 @ 20°C
Flash Point (°C)	48°C
Refractive Index	1.468 - 1.490 @ 20°C
Solubility in Water @ 20°C	NO DATA
9.2 Other Information	NA

SECTION 10: Stability & Reactivity

10.1 Reactivity	NO HAZARDOUS REACTIONS IF STORED AND HANDLED AS PRESCRIBED / INDICATED.
10.2 Chemical stability	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C).
10.3 Possibility of hazardous reactions	NO.
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C.
10.5 Incompatible materials	STRONG OXIDISING SUBSTANCES.
10.6 Hazardous decomposition products	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: Toxicological Information

11.1 Toxicological effects	
Acute Toxicity	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
Skin irritation	MAY CAUSE SENSITISATION BY SKIN CONTACT.
Eye damage or irritation	SPRAY AND VAPOUR IN THE EYES MAY CAUSE IRRITATION AND SMARTING.
Respiratory or skin sensitivity	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
Germ cell mutagenicity	NO DATA

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Carcinogenicity	NOT APPLICABLE.
Reproductive toxicity	NOT APPLICABLE.
STOT – single exposure	NOT APPLICABLE.
STOT – repeated exposure	NOT APPLICABLE.
Aspiration hazard	NO DATA.
Other information	NO DATA.

SECTION 12: Ecological Information



12.1 Toxicity	THE PRODUCT CONTAINS A SUBSTANCE WHICH IS TOXIC TO AQUATIC ORGANISMS AND WHICH MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
12.2 Persistence & degradability	NO DATA
12.3 Bio- accumulative potential	NO DATA
12.4 Mobility in soil	NO DATA
12.5 Results of PBT & VPVB assessment	NO DATA
12.6 Other adverse effects	DO NOT ALLOW PRODUCT TO ENTER STREAMS, SEWERS OR OTHER WATERWAYS.

SECTION 13: Disposal Information

13.1 Waste treatment methods	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
---	--

SECTION 14: Transport Information

14.1 Transport Information	
UN NUMBER	ROAD: 1993 RAIL: 1993 AIR: 1993
14.2 UN SHIPPING NAME	FLAMMABLE LIQUID, N.O.S (TERPENE HYDROCARBONS).
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 (FLAMMABLE LIQUID) IMDG CLASS: 3 (FLAMMABLE LIQUID) ICAO CLASS/DIVISION: 3 (FLAMMABLE LIQUID) TRANSPORT LABELS:

	
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIRONMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS SUBSTANCE/MARINE POLLUTANT 
14.6 SPECIAL PRECAUTIONS FOR USER	EMS: F-E-S-D HAZARD NO. (ADR): 30 FLAMMABLE LIQUID (FLASH-POINT BETWEEN 23°C AND 60°C, INCLUSIVE) OR FLAMMABLE LIQUID OR SOLID IN THE MOLTEN STATE WITH A FLASH-POINT ABOVE 60°C, HEATED TO A TEMPERATURE EQUAL TO OR ABOVE ITS FLASH-POINT, OR SELF HEATING LIQUID. TUNNEL RESTRICTION CODE: (D/E)
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	PACKED AND TRANSFERRED ACCORDING TO TRANSPORT REGULATIONS.

SECTION 15: Regulatory Information

15.1 Product specific safety, health & environmental regulations & legislation	
EU Directives	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
Statutory Instruments	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
Guidance Notes	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	AN ASSESSMENT HAS NOT BEEN EXECUTED AS THIS IS NOT A HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: Other Information

HAZARD AND/OR PRECAUTIONARY STATEMENTS IN FULL	H319 CAUSES SERIOUS EYE IRRITATION. H315 CAUSES SKIN IRRITATION. H226 FLAMMABLE LIQUID AND VAPOUR.
---	--

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

	H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H400 VERY TOXIC TO AQUATIC LIFE.
Training Instructions: Refer to possible hazard before use of this product.	
Abbreviations & Acronyms:	
MSDS	MATERIAL SAFETY DATA SHEET.
INCI	INTERNATIONAL NOMENCLATURE OF COSMETIC INGREDIENTS.
CAS	CHEMICAL ABSTRACT SERVICE.
IMDG	INTERNATIONAL MARITIME CODE FOR DANGEROUS GOODS.
ADR	ACCORD EUROPEAN SUR LE TRANSPORT DES MARCHANDISES DANGEREUSES PAR ROUTE (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD).
RID	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY RAIL.
ICAO	INTERNATIONAL CIVIL AVIATION ORGANIZATION.
ADN	INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS.
GHS	GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION & LABELLING OF CHEMICALS.
TREM CARD	TRANSPORT EMERGENCY CARD.
STOT	SPECIFIC TARGET ORGAN TOXICITY.

Legal Disclaimer:

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.