

AKÖMA™

FROM THE HEART

Material Safety Data Sheet

EU Regulation: 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identification					
Product Name	EUCALYPTUS ESSENTIAL OIL ORGANIC				
Biological Definition	EUCALYPTUS GLOBULUS LEAF OIL IS THE VOLATILE OIL OBTAINED FROM THE FRESH LEAVES OF THE EUCALUPTUS, EUCALYPTUS GLOBULUS AND OTHER SPECIES OF EUCALYPTUS, MYRTACEAE. SYN.				
INCI Name	EUCALYPTUS GLOBULUS LEAF OIL				
Synonyms & Trade Names	EUCALYPTUS GLOBULUS LEAF OIL				
Internal Product Code	K0176				
CAS-No	8000-48-4/ 84625-32-1	EC NO.	283-406-2	EINECS NO.	283-406-2
1.2 Details of the supplier of the safety data sheet					
Company Address	Akoma International (UK) Limited Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967				
Email	technical@akoma.biz				
1.3 Details of the supplier of the safety data sheet					
Emergency Contacts	Mr. Wynn Mensah – Tel: 01332 613 967				

SECTION 2: Hazards Identification

2.1 Classification of the substance or mixture	THE FULL TEXT FOR ALL HAZARD STATEMENTS IS DISPLAYED IN SECTION 16.
Classification (67/548/EEC)	NO ADDITIONAL DATA AVAILABLE.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby




DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Eucalyptus Essential Oil Organic - MSDS

Classification (EU1272/2008)	PHYSICAL AND CHEMICAL HAZARDS FLAM. LIQ. 3 - H226 HUMAN HEALTH SKIN SENS. 1 - H317; ASP. TOX. 1 - H304 ENVIRONMENT AQUATIC CHRONIC 2 - H411
-------------------------------------	---

2.2 Label Element	LABEL IN ACCORDANCE WITH REGULATION (EC) NO 1272/2008.
Label in accordance with Regulation (EC) No 1272/2008.	
GHS Label	  
	GHS07 GHS08 GHS09
Signal Word	DANGER.
Contains	ALPHA PINENE NATURAL, BETA PINENE, LIMONENE.
Hazards Statement	H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Precautionary Statements	P273 AVOID RELEASE TO THE ENVIRONMENT. P280 WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING/EYE PROTECTION/FACE PROTECTION. P262 DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. P301+310 IF SWALLOWED: IMMEDIATELY CALL A POISON CENTER OR DOCTOR/PHYSICIAN. P331 DO NOT INDUCE VOMITING. P391 COLLECT SPILLAGE. P501 DISPOSE OF CONTENTS/CONTAINER TO ...
Supplementary Precautionary Statements	P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. - NO SMOKING. P233 KEEP CONTAINER TIGHTLY CLOSED. P240 GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. P241 USE EXPLOSION-PROOF ELECTRICAL/VENTILATING/LIGHTING/.../EQUIPMENT. P242 USE ONLY NON-SPARKING TOOLS. P243 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. P261 AVOID BREATHING DUST/FUME/GAS/MIST/VAPOURS/SPRAY. P272 CONTAMINATED WORK CLOTHING SHOULD NOT BE ALLOWED OUT OF THE WORKPLACE. P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER. P303+361+353 IF ON SKIN (OR HAIR): REMOVE/TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. RINSE SKIN WITH WATER/SHOWER. P321 SPECIFIC TREATMENT (SEE ... ON THIS LABEL). P333+313 IF SKIN IRRITATION OR RASH OCCURS: GET MEDICAL ADVICE/ATTENTION. P363 WASH CONTAMINATED CLOTHING BEFORE REUSE. P370+378 IN CASE OF FIRE: USE ... FOR EXTINCTION. P403+235 STORE IN A WELL-VENTILATED PLACE. KEEP COOL. P405 STORE LOCKED UP.
Section 16 (Other Information): Risk & Safety phrases in full.	
2.3 Other Hazards	
Adverse physio-chemical properties	NO DATA.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Adverse effects on human health	NO DATA.
PBT OR VPVB ACCORDING TO ANNEX XIII	NO DATA.

SECTION 3: Composition of Ingredients

3.1 Mixtures	<p>60-100% CINEOL CAS-NO.: 470-67-7 EC NO.: 207-428-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226,</p> <p>5-10% LIMONENE CAS-NO.: 5989-27-5 EC NO.: 227-813-5 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 – H226, SKIN IRRIT 2 – H315 ASP TOX. 1 – H304, SKIN SENS. 1 – H317 AQUATIC ACUTE 1 – H400, AQUATIC CHRONIC 1 – H410</p> <p>≤ 5% G-TERPINENE CAS-NO.: 99-85-4, EC NO.: 202-794-6 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226 ASP. TOX. 1 - H304</p> <p>≤ 5% ALPHA-PINENE CAS-NO.: 80-56-8 EC NO.: 201-291-9 CLASSIFICATION (EC 1272/2008) FLAM. LIQ. 3 - H226, SKIN IRRIT. 2 - H315, SKIN SENS. 1 - H317, ASP. TOX. 1 - H304</p> <p>≤ 5% BETA-PINENE CAS. NO: 127-91-3 EC NO: 204-872-5 CLASSIFICATION (EC 1272/2008); FLAM. LIQ. 3 - H226,SKIN IRRIT. 2 - H315,SKIN SENS. 1 - H317, ASP. TOX. 1 - H304</p> <p>≤ 5% PARA-CYMENE CAS-NO.: 99-87-6 EC NO.: 202-796-7 CLASSIFICATION (EC 1272/2008); FLAM. LIQ. 3 – H226, ASP. TOX. 1 – H304, AQUATIC CHRONIC 2 – H411</p>
-------------------------------	--

SECTION 4: First Aid Measures

4.1 Description of First Aid Measures	
General Information	ALWAYS REMOVE CONTAMINATED CLOTHING IMMEDIATELY.
Inhalation	GET MEDICAL ATTENTION IMMEDIATELY. REMOVE FROM EXPOSURE SITE TO FRESH AIR, KEEP AT REST, AND OBTAIN MEDICAL ATTENTION.
Ingestion	GET MEDICAL ATTENTION IMMEDIATELY. IMMEDIATELY CALL THE POISON CENTRE OR DOCTOR. RINSE MOUTH WITH WATER AND OBTAIN MEDICAL ATTENTION.
Skin Contact	REMOVE CONTAMINATED CLOTHES. WASH THOROUGHLY WITH SOAP AND WATER. CONTACT PHYSICIAN IF IRRITATION PERSISTS.
Eye Contact	FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. CONTACT PHYSICIAN IF SYMPTOMS PERSIST.
4.2 Most important symptoms & effects (Acute & Delayed)	OBSERVE RISK OF ASPIRATION IF VOMITING OCCURS.
4.3 Indication of any immediate medical attention or special treatment required	TREAT SYMPTOMATICALLY.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

SECTION 5: Fire Fighting Measures

5.1 Extinguishing material	FOAM, CO2, DRY CHEMICAL POWDER.
5.2 Special hazards arising from the substance Or mixture	BURNING PRODUCES IRRITATING, TOXIC AND OBNOXIOUS FUMES.
5.3 Advice for fire-fighters	SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND APPROPRIATE PROTECTIVE CLOTHING.

SECTION 6: Accidental Release Measures

6.1 Personal precautions	ENSURE ADEQUATE VENTILATION OF THE WORKING AREA, EVACUATE PERSONNEL TO SAFE AREA, WEAR SUITABLE PROTECTIVE EQUIPMENT. NO SMOKING, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION NEAR SPILLAGE. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. AVOID INHALATION.
6.2 Environmental precautions	DO NOT DISCHARGE INTO DRAINS, WATER COURSES OR ONTO THE GROUND. DISPOSE OF IN LINE WITH LOCAL AUTHORITY GUIDELINES.
6.3 Methods & material for containment and cleaning up	REMOVE IGNITION SOURCES. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE INHALATION OF VAPOURS. CONTAIN SPILLAGE IMMEDIATELY BY USE OF SAND OR INERT POWDER. DISPOSE OF ACCORDING TO LOCAL REGULATIONS. COVER WITH AN INERT, INORGANIC, NON-COMBUSTIBLE ABSORBENT MATERIAL (E.G DRY-LIME, SAND, SODA ASH).
6.4 References to other sections	REFER & CONSIDER SECTION 12.

SECTION 7: Handling & Storage

7.1 Precautions for safe-handling	HANDLE IN ACCORDANCE WITH GOOD HYGIENE AND SAFETY PRACTICE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAMES AND HOT SURFACES. - NO SMOKING. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. USE IN ACCORDANCE WITH GOOD MANUFACTURING AND INDUSTRIAL HYGIENE PRACTICES. USE IN AREAS WITH ADEQUATE VENTILATION DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT.
7.2 Conditions for safe storage, including any Incompatibilities	STORAGE CLASS: FLAMMABLE LIQUID STORAGE. STORE ONLY IN THE ORIGINAL RECEPTACLE. KEEP CONTAINER TIGHTLY SEALED. KEEP IN COOL, DRY, VENTILATED STORAGE AND CLOSED CONTAINERS. KEEP AWAY FROM HEAT.
7.3 Specific end use(s)	THE INFORMATION REQUIRED IS CONTAINED IN THIS MATERIAL SAFETY DATA

SECTION 8: Exposure Controls & Personal Protection

8.1 Control Parameters	P-CYMENE (CAS: 99-87-6) INGREDIENT COMMENTS CONTAINS NO SUBSTANCES WITH OCCUPATIONAL EXPOSURE LIMIT VALUES.
8.2 Exposure Controls	

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Eye Protection	WEAR PROTECTIVE GLOVES/EYE PROTECTION/FACE PROTECTION. AVOID CONTACT WITH EYES. WEAR APPROVED SAFETY GOGGLES. (EN166)
Hand Protection	AVOID CONTACT WITH SKIN. WASH HANDS BEFORE BREAKS AND AT END OF WORK. WEAR PROTECTIVE GLOVES. DIN/EN 374. THE GLOVE MATERIAL HAS TO BE IMPERMEABLE AND RESISTANT TO THE PRODUCT/ THE SUBSTANCE/ THE PREPARATION. PENETRATION TIME OF GLOVE MATERIAL: THE EXACT BREAK THROUGH TIME HAS TO BE FOUND OUT BY THE MANUFACTURER OF THE PROTECTIVE GLOVES AND HAS TO BE OBSERVED.
Respiratory Equipment	DO NOT INHALE GASES / FUMES / AEROSOLS. CERTIFIED RESPIRATORY PROTECTIVE DEVICE RECOMMENDED.
Hygiene Measures	GOOD PERSONAL HYGIENE PRACTICES ARE ALWAYS ADVISABLE, ESPECIALLY WHEN WORKING WITH CHEMICALS / OILS.
Engineering Measures	NONE.
Skin Protection	WEAR PROTECTIVE CLOTHING TO REDUCE THE RISK OF SKIN AND EYE CONTACT.
Personal Protection	AVOID INHALATION OF THE PRODUCT. AVOID CONTACT WITH SKIN AND EYES. AVOID CONTACT WITH SKIN AND EYES. USE PERSONAL PROTECTION ACCORDING TO DIRECTIVE 89/686/EEC.
Other Protection	WEAR SUITABLE PROTECTION TO AVOID CONTACT WITH SKIN AND EYES. DO NOT INHALE VAPOURS.
Process Conditions	ENSURE AREA IS WELL VENTILATED. AVOID VAPOUR INHALATION. SAFETY SHOWER & EYE BATH.
Environmental Exposure Controls	AVOID DISCHARGING INTO DRAINAGE WATER.

SECTION 9: Physical & Chemical Properties

9.1 Physical & Chemical Properties	
Appearance	LIQUID
Colour	Colourless - Pale Yellow
Odour	Fresh, Cineolic
Relative Density	0.906 – 0.927
Refractive Index	1.458 – 1.470
Flash Point (°C)	49°C.
Solubility in Water @ 20°C	INSOLUBLE IN WATER.
9.2 Other Information	NO DATA.

SECTION 10: Exposure Controls & Personal Protection

10.1 Reactivity	NOT APPLICABLE.
----------------------------------	-----------------

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Eucalyptus Essential Oil Organic - MSDS

10.2 Chemical stability	STABLE UNDER SUGGESTED STORAGE CONDITIONS (<15°C). STABLE UNDER NORMAL CONDITIONS.
10.3 Possibility of hazardous reactions	NONE UNDER NORMAL PROCESSING.
10.4 Conditions to avoid	STORAGE AT HIGH TEMPERATURES. DO NOT STORE ABOVE 15°C. AVOID HEAT, FLAMES AND OTHER SOURCES OF IGNITION
10.5 Incompatible materials	AVOID OXIDISING AGENTS & ACIDS.
10.6 Hazardous decomposition products	THIS PRODUCT DOES NOT DECOMPOSE UNDER NORMAL CONDITIONS. UNDER FIRE CONDITIONS THE PRODUCT WILL PRODUCE A MIXTURE OF IRRITATING FUMES & SMOKE & CARBON MONOXIDE.

SECTION 11: Toxicological Information

11.1 Toxicological effects	
Acute Toxicity	TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.
Skin irritation	MAY CAUSE ALLERGIC REACTION.
Eye damage or irritation	MAY HAVE REVERSIBLE EFFECTS ON THE EYES, SUCH AS EYE IRRITATION WHICH IS TOTALLY REVERSIBLE BY THE END OF OBSERVATION AT 21 DAYS. TREAT IMMEDIATELY
Respiratory or skin sensitivity	IN HIGH CONCENTRATIONS, VAPOURS MAY IRRITATE THROAT AND RESPIRATORY SYSTEM AND CAUSE COUGHING.
Germ cell mutagenicity	NO DATA.
Carcinogenicity	NO DATA.
Reproductive toxicity	NO DATA.
STOT – single exposure	NO DATA.
STOT – repeated exposure	NO DATA.
Aspiration hazard	NO DATA.
Other information	NO DATA.

SECTION 12: Ecological Information

12.1 Toxicity	WE HAVE NO DATA REGARDING ECOTOXICITY, BUT IT MUST BE CONSIDERED THAT THIS PRODUCT MAY BE DANGEROUS FOR THE ENVIRONMENT.
12.2 Persistence & degradability	NO DATA.
12.3 Bio- accumulative potential	NO DATA.
12.4 Mobility in soil	NO DATA.
12.5 Results of PBT & VPVB assessment	NO DATA.
12.6 Other adverse effects	NO DATA.

SECTION 13: Disposal Information

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby



DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

13.1 Waste treatment methods	ALWAYS RECOVER SPILLED PRODUCT. DISCARD WASTE MATERIAL WITH AUTHORIZED WASTE MANAGEMENT SERVICES. ACT IN ACCORDANCE WITH LOCAL & NATIONAL WASTE REGULATIONS.
--	--

SECTION 14: Transport Information

14.1 Transport Information	
UN NUMBER	ROAD: 1169 SEA: 1169 AIR: 1169
14.2 UN Shipping Name	EXTRACTS, AROMATIC, LIQUID.
14.3 TRANSPORT HAZARD CLASS(ES)	ADR/RID/ADN CLASS: 3 IMDG CLASS: 3 ICAO CLASS/DIVISION: 3 TRANSPORT LABELS:  EMS F-E, S-D EMERGENCY ACTION CODE 3Y HAZARD NO. (ADR) 30 FLAMMABLE LIQUID (FLASH-POINT BETWEEN 23°C AND 60°C, INCLUSIVE) OR FLAMMABLE LIQUID OR SOLID IN THE MOLTEN STATE WITH A FLASH-POINT ABOVE 60°C, HEATED TO A TEMPERATURE EQUAL TO OR ABOVE ITS FLASH-POINT, OR SELF HEATING LIQUID.
14.4 PACKING GROUP	ADR/RID/ADN PACKING GROUP III IMDG PACKING GROUP III ICAO PACKING GROUP III
14.5 ENVIROMENTAL HAZARDS	ENVIRONMENTALLY HAZARDOUS / MARINE POLLUTANT. 
14.6 SPECIAL PRECAUTIONS FOR USER	EMS F-A-S-F
14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL73/78 & THE IBC CODE.	NONE.

SECTION 15: Regulatory Information

15.1
Product specific safety, health & environmental regulations & legislation

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

EU Directives	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
Statutory Instruments	THE CHEMICALS (HAZARD INFORMATION & PACKAGING FOR SUPPLY REGULATIONS 2009 (S.I.2009 NO 716).
Approved Code of Practice	CLASSIFICATION & LABELLING OF SUBSTANCES & PREPARATIONS DANGEROUS FOR SUPPLY. SAFETY DATA SHEETS FOR SUBSTANCES & PREPARATIONS.
Guidance Notes	WORKPLACE EXPOSURE LIMITS EH40. CHIP FOR EVERYONE HSG 108.
15.2 Chemical Safety Assessment	ASSESSMENT HAS NOT BEEN CARRIED OUT AS THIS IS A NON-HAZARDOUS MATERIAL ACCORDING TO ARTICLE 31 OF REACH 1907/2006.

SECTION 16: Other Information

HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H315 CAUSES SKIN IRRITATION. H226 FLAMMABLE LIQUID AND VAPOUR. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H410 VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H400 VERY TOXIC TO AQUATIC LIFE.
Training Instructions: Refer to possible hazard before use of this product.	
Abbreviations & Acronyms:	
MSDS	Material Safety Data Sheet.
INCI	International Nomenclature of Cosmetic Ingredients.
CAS	Chemical Abstract Service.
IMDG	International Maritime code for Dangerous Goods.
ADR	Accord European sur le transport des marchandises Dangereuses par Route (European Agreement concerning the international Carriage of Dangerous goods by Road).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.
GHS	Globally Harmonized System of classification & labelling of chemicals.
Trem Card	Transport Emergency Card.
STOT	Specific Target Organ Toxicity.

Q.C. REQUIREMENTS. In-line with general product specification. Always satisfy suitability for specific application.

Disclaimer.

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.

AKÖÖMA™

FROM THE HEART

Page 9 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park

Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Eucalyptus Essential Oil Organic - MSDS