

Material Safety Data Sheet EU Regulation: 1907/2006

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product Identification** YLANG YLANG 3 ESSENTIAL OIL ORGANIC Product Name CANANGA ODORATA FLOWER OIL IS THE THIRD STAGE FRACTION OBTAINED BY THE DISTILLATION OF YLANG YLANG FLOWERS. **Biological Definition** CANANGA ODORATA, ANONACEAE. **INCI Name** CANANGA ODORATA FLOWER Synonyms & Trade Names **Internal Product Code** K0499 281-092-1 281-092-1 EC No. EINECS No. 8006-81-3 CAS-No 1.2 Details of the supplier of the safety dat a sheet Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road **Company Address** Derby DE21 6AS Tel: +44 (0) 1332 613 967 Email technical@akoma.biz 13 Details of the supplier of the safety data sheet Emergency Contacts Mr. Wynn Mensah - Tel: 01332 613 967

SECTION 2: Hazards Identification	
2.1	
Classification of the substance	or mixture The full text for all hazard statements is displayed in section 16.
Classification (EU1272/2008)	H304 May be fatal if swallowed and enters airways. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.
2.2	
Label Elements	Label in accordance with Regulation (EC) No 1272/2008.

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Ylang Ylang 3 Essential Oil Organic - MSDS

Page 1 of 9

GHS Label	GHS07 GHS08 GHS08				
Signal Word	DANGER				
Contains	EC 204-262-9 BENZYL SALICYLATE				
	EC 225-004-1 FARNESOL. H304 May be fatal if swallowed and enters airways.				
Hazards Statement	H317 May cause an allergic skin reaction.				
	H412 Harmful to aquatic life with long lasting effects.				
Precautionary Statements	P273 Avoid release to the environment.				
	P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.				
.	P302 + P352 IF ON SKIN: Wash with plenty of soap and water.				
Supplementary Precautionary Statements	P331 Do NOT induce vomiting.				
Sidiements	P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.				
	P501 Dispose of contents/container to waste disposal facility licensed. Section 16 (Other Information): Risk & Safety phrases in full.				
	Section 10 (Other Information): Kisk & Safety pinases in fun.				
2.3					
Other Hazards Adverse physio-chemical	NO DATA				
properties					
Adverse effects on human	NO DATA				
health					
PBT OR VPVB ACCORDING TO					
SECTION 3: Compositio					
SECTION 3: Compositio 3.1					
SECTION 3: Compositio 3.1	n of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4				
SECTION 3: Compositio 3.1	 n of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402 <2.0% BENZYL ACETATE CAS-NO.: 140-11-4, EC: 205-399-7 				
SECTION 3: Compositio 3.1	n of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402				
SECTION 3: Compositio 3.1	 A of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402 <2.0% BENZYL ACETATE CAS-NO.: 140-11-4, EC: 205-399-7 CLASSIFICATION (EC 1272/2008) NOT CLASSIFIED <3.0% FARNESOL CAS-NO.: 4602-84-0 EC NO.: 225-004-1 				
SECTION 3: Compositio 3.1	 n of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402 <2.0% BENZYL ACETATE CAS-NO.: 140-11-4, EC: 205-399-7 CLASSIFICATION (EC 1272/2008) NOT CLASSIFIED <3.0% FARNESOL CAS-NO.: 4602-84-0 EC NO.: 225-004-1 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317 <1.0% METHYL BENZOATE CAS-NO.: 106-24-1 EC NO.: 203-377-1 				
	 n of Ingredients <7.0% BENZYL BENZOATE CAS-NO.: 120-51-4 EC NO.: 204-402-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4 - H302, AQUATIC CHRONIC 2 - H411 < 4.0% BENZYL SALICYLATE CAS-NO.: 118-58-1 EC NO.: 204-262-9 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN SENS. 1 - H317, AQUATIC ACUTE 2 - H401, AQUATIC CHRON 2 - H411 <3.0% LINALOOL CAS-NO.: 78-70-6 EC NO.: 201-134-4 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 5 - H303, SKIN IRRIT. 2 - H315, AQUATIC ACUTE 3 - H402 <2.0% BENZYL ACETATE CAS-NO.: 140-11-4, EC: 205-399-7 CLASSIFICATION (EC 1272/2008) NOT CLASSIFIED <3.0% FARNESOL CAS-NO.: 4602-84-0 EC NO.: 225-004-1 CLASSIFICATION (EC 1272/2008) SKIN IRRIT. 2 - H315, EYE IRRIT. 2 - H319, SKIN SENS. 1 - H317 <1.0% METHYL BENZOATE CAS-NO.: 106-24-1 EC NO.: 203-377-1 CLASSIFICATION (EC 1272/2008) ACUTE TOX. 4, H302 <1.0% P-CRESYL METHYL ETHER CAS-NO.: 104-93-8 EC NO.: 203-253-7 				

Page 2 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

SECTION 4: First Aid Measures

4.1			
Description of First Aid Measures			
General Information	Always remove contaminated clothing immediately.		
Inhalation	Get medical attention immediately. Remove from exposure site to fresh air, keep at rest, and obtain medical attention.		
Ingestion	Get medical attention immediately. Rinse mouth with water and obtain medical attention.		
Skin Contact	Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.		
Eye Contact	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.		
4.2	INHALATION MAY CAUSE COUGHING AND DIFFICULTIES IN BREATHING.		
Most important symptoms &	INGESTION IRRITATING TO THE RESPIRATORY TRACT AND MAY CAUSE DAMAGE TO THE CENTRAL NERVOUS SYSTEM.		
effects (Acute & Delayed)	SKIN CONTACT TOXIC IN CONTACT WITH SKIN.		
	EYE CONTACT MAY CAUSE EYE IRRITATION.		
4.3			
Indication of any immediate	None expected, see section 4.1 for further information.		
medical attention or special			
treatment required			

SECTION 5: Fire Fighting	Measures	
5.1 Extinguishing material	Foam, Co2, Dry Chemical Powder.	
5.2 Special hazards arising from the substance Or mixture	Burning produces irritating, toxic and obnoxious fumes.	
5.3 Advice for fire-fighters	Special protective equipment for fire-fighters: Wear positive-pressure self-contained breathing apparatus (scba) and appropriate protective clothing.	

6.1	
Personal precautions	Ensure adequate ventilation of the working area, evacuate personnel to safe area, wear suitable protective equipment. No
	smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing.
6.2	TINA HE HEAR
Environmental precautions	Do not discharge into drains, water courses or onto the ground. Dispose of in line with local authority guidelines.
6.3	
Methods & material for	Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by
containment and cleaning up	use of sand or inert powder. Dispose of according to local regulations.
6.4	
References to other sections	Refer & consider section 7, 8. Refer & consider section 13.

SECTION 7: Handling & Storage		
7.1		
Precautions for safe-handling	Handle in accordance with good hygiene and safety practice. Keep away from heat, sparks, open flames and hot surfaces no smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation do not eat, drink or smoke when using this product.	
7.2		
Conditions for safe storage,	Keep the product container tightly closed, in a dry, ventilated area. Keep away from potential sources of ignition and protected	
including any incompatibilities	from light. Maintain limited contact with oxygen.	
7.3		
Specific end use(s)	No Data.	

Akoma International (UK) LTD
Unit 9A Sawley Park
Nottingham Road
Derby
DE21 6AS
Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 3 of 9

SECTION 8: Exposure Co	ontrols & Personal Protection
8.1 Control Parameters	Occupational exposure limits : - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 140-11-4 10ppm
	Derived no effect level (DNEL) or derived minimum effect level (DMEL): Final use: Workers. Exposure method: Dermal contact. Potential health effects: Short term systemic effects. DNEL : 5mg/kg body weight/day
	Occupational exposure limits : -ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : CAS TWA : STEL : Ceiling : Definition : Criteria : 140-11-4 10ppm
	Derived no effect level (DNEL) or derived minimum effect level (DMEL): Final use: Workers. Exposure method: Dermal contact. Potential health effects: Short term systemic effects. DNEL : 5mg/kg body weight/day
	Exposure method: Dermal contact. Potential health effects: Short term local effects. DNEL : 15mg of substance/cm2
	Exposure method: Dermal contact. Potential health effects: Long term systemic effects. DNEL : 2.5mg/kg body weight/day Exposure method: Dermal contact. Potential health effects: Long term local effects. DNEL : 15mg of substance/cm2
	Exposure method: Inhalation. Potential health effects: Short term systemic effects.
8.2 Exposure Controls	MARTER HEART
Eye Protection	Wear protective gloves/eye protection/face protection.
Hand Protection	Wear protective gloves/eye protection/face protection.
Respiratory Equipment	Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material
	should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other
	conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) increase ventilation of the area with local exhaust ventilation. B) personnel can use an approved, appropriately fitted respirator with
	organic vapour cartridge or canisters and particulate filters. C) use closed systems for transferring and processing this material.
	Also refer to sections 2 and 7.
Hygiene Measures	Good personal hygiene practices are always advisable, especially when working with chemicals / oils.
Engineering Measures	
SKIN PROTECTION	Wear protective clothing to reduce the risk of skin and eye contact.
PERSONAL PROTECTION	Avoid inhalation of the product. Avoid contact with skin and eyes.
OTHER PROTECTION	Wear suitable protection to avoid contact with skin and eyes. Do not inhale vapours.
PROCESS CONDITIONS	Ensure area is well ventilated. Avoid vapour inhalation. Safety shower & eye bath.

Page 4 of 9

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road

Derby

DE21 6AS

Tel: +44 (0) 1332 613 967

ENVIROMENTAL EXPOSURE	Avoid discharging into drainage water.
CONTROLS	

SECTION 9: Physical & Chemical Properties	
9.1	
Physical & Chemical Properties	
Appearance	Liquid
Colour	Yellow – dark yellow.
Odour	Characteristic
Relative Density	0.904 – 0.955 @ 20°c
Flash Point (°C)	93°c
Refractive Index	1.490 – 1.520 @ 20°c
Solubility in Water @ 20°C	Insoluble in water
9.2	
Other Information	No data.

SECTION 10: Stability & Reactivity 10.1 Presents no significant reactivity hazards, by itself or in contact with water. Stable under normal temperature and storage Reactivity conditions and recommended use. 10.2 Stable under suggested storage conditions ($<15^{\circ}$ C). **Chemical stability** 10.3 **Possibility of hazardous** No. reactions 10.4 Storage at high temperatures. Do not store above 15°C. **Conditions to avoid** 10.5 P.V.C Incompatible materials 10.6 This product does not decompose under normal conditions. Under fire conditions the product will produce a mixture of irritating Hazardous decomposition fumes & smoke. products

SECTION 11: Toxicological Information

11.1 Toxicological effects ISOEUGENOL (CAS: 97-54-1) Oral route : LD50 = 1500 mg/kg Dermal route : LD50 = 1900 mg/kg GERANIOL (CAS: 106-24-1) Oral route : LD50 = 4200 mg/kg P-CRESYL METHYL ETHER (CAS: 104-93-8) Oral route : LD50 = 1900 mg/kg METHYL BENZOATE (CAS: 93-58-3) Oral route : LD50 = 1300 mg/kg BENZYL ACETATE (CAS:140-11-4) Oral route : LD50 = 2490 mg/kg

Page 5 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

	LINALOOL (CAS: 78-70-6)	Oral route : LD50 = 2200 mg/kg
	Species : Mouse	OECD Guideline 401 (Acute Oral Toxicity) Dermal route: LD50 = 5610 mg/kg
	Species: Rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
	BENZYL SALICYLATE (CAS: 118-58-1)	Oral route : LD50 = 2200 mg/kg.
Skin irritation	MAY CAUSE AN ALLERGIC REACTION BY LINALOOL (CAS: 78-70-6) IRRITATION : AVERAGE SCORE = 1.85 EFFECT OBSERVED : ERYTHEMA SCORE SPECIES : RABBIT DURATION OF EXPOSURE : 24 H OECD GUIDELINE 404 (ACUTE DERMAL IN	
Eye damage or irritation	LINALOOL (CAS: 78-70-6)	
	CORNEAL HAZE : AVERAGE SCORE = 1 SPECIES : RABBIT DURATION OF EXPOSURE : 24 H OECD GUIDELINE 405 (ACUTE EYE IRRITA IRITIS : AVERAGE SCORE = 0.6 SPECIES : RABBIT	TION / CORROSION)
	DURATION OF EXPOSURE : 24 H OECD GUIDELINE 405 (ACUTE EYE IRRITA CONJUNCTIVAL REDNESS : AVERAGE SC SPECIES : RABBIT DURATION OF EXPOSURE : 24 H OECD GUIDELINE 405 (ACUTE EYE IRRITA	ORE = 2.3
Respiratory or skin sensitivity	May be fatal if swallowed and enters air	ways. May cause discomfort if swallowed.
Germ cell mutagenicity	LINALOOL (CAS: 78-70-6) MUTAGENESIS (IN VIVO) : NEGATIVE. SPECIES : MOUSE OECD GUIDELINE 474 (MAMMALIAN ERY OECD GUIDELINE 471 (BACTERIAL REVER AMES TEST (IN VITRO) : NEGATIVE. WITH OR WITHOUT METABOLIC ACTIVA SPECIES : S. TYPHIMURIUM TA1535	THROCYTE MICRONUCLEUS TEST) SE MUTATION ASSAY) TION.
Carcinogenicity	LINALOOL (CAS: 78-70-6) CARCINOGENICITY TEST : NEGATIVE. NO CARCINOGENIC EFFECT. SPECIES : RAT	
Reproductive toxicity	LINALOOL (CAS: 78-70-6)	
	NO TOXIC EFFECT FOR REPRODUCTION STUDY ON DEVELOPMENT : SPECIES : RA OECD GUIDELINE 421 (REPRODUCTION ,	T / DEVELOPMENTAL TOXICITY SCREENING TEST)
STOT – single exposure	Not Applicable.	
STOT – repeated exposure	Not Applicable.	
Aspiration hazard		ACUTE EFFECTS SUCH AS CHEMICAL PNEUMONIA, URY OR DEATH FOLLOWING ASPIRATION. 'ERS AIRWAYS.
		Page 6 of

Page 6 of 9

Akoma International (UK) LTD

Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

	ASPIRATION TOXICITY INCLUDES SEVERE ACUTE EFFECTS SUCH AS CHEMICAL PNEUMONIA, VARYING DEGREES OF PULMONARY INJURY OR DEATH FOLLOWING ASPIRATION.
Other information	No Data.

SECTION 12: Ecological	ECTION 12: Ecological Information	
12.1 Toxicity	FISH TOXICITY : DURATION OF EXPOSURE : 96 H LC50 = 27.8 MG/L SPECIES : ONCORHYNCHUS MYKISS OECD GUIDELINE 203 (FISH, ACUTE TOXICITY TEST) CRUSTACEAN TOXICITY : DURATION OF EXPOSURE : 48 H EC50 = 59 MG/L SPECIES : DAPHNIA MAGNA OECD GUIDELINE 202 (DAPHNIA SP. ACUTE IMMOBILISATION TEST)	
12.2 Persistence & degradability	No Data.	
12.3 Bio- accumulative potential	No Data.	
12.4 Mobility in soil	Considered as a readily biodegradable NCS. Based on the ready biodegradability of the ncs, simulation tests in surface water, sediment and soil are not required in accordance with effects.	
12.5 Results of PBT & VPVB assessment	This substance does not meet the PBT/VPVB CRITERIA OF REACH, ANNEX XIII.	
12.6 Other adverse effects	Do not allow product to enter streams, sewers or other waterways.	

SECTION 13: Disposal Ir		
13.1 Waste treatment methods		

SECTION 14: Transport Information		
14.1 Transport Information		
UN NUMBER	ROAD: NOT REGULATED RAIL: NOT REGULATED AIR: NOT REGULATED	
14.2		
UN SHIPPING NAME	NONE	
14.3		
TRANSPORT HAZARD	NOT REGULATED	
CLASS(ES)		
14.4		
PACKING GROUP	NOT REGULATED	
14.5		
ENVIROMENTAL HAZARDS	NON HAZARDOUS	
14.6		
SPECIAL PRECAUTIONS FOR	NO DATA.	
USER		

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Page 7 of 9

Ylang Ylang 3 Essential Oil Organic - MSDS

14.7	
TRANSPORT IN BULK	NO ADDITIONAL DATA.
ACCORDING TO ANNEX II OF	
MARPOL73/78 & THE IBC	
CODE.	
SECTION 15: Regulatory	
Product specific safety, health & environmental regulations & legislation	
EU Directives	REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18TH DECEMBER 2006. CONCERNING THE REGISTRATION, EVALUATION, AUTHORIZATION & RESTRICTION OF CHEMICALS (REACH), ESTABLISHING A EUROPEAN CHEMICALS AGENCY, AMENDING DIRECTIVE 1999/45/EC AND REPEALING COUNCIL REGULATION (EEC) NO793/93 & COMMISSION REGULATION (EC) NO1488/94 AS WELL AS COUNCIL DIRECTIVE 76/769/EEC & COMMISSION DIRECTIVE 91/155/ECC, 93/67/ECC, 93/105/EEC & 2000/21/EC (INCLUDING AMENDMENTS).
	The Chemicals (Hazard Information & Packaging for Supply Regulations 2009 (S.I.2009 No 716).

Statutory Instruments	
Approved Code of Practice	Classification & labelling of substances & preparations dangerous for supply. Safety data sheets for substances & preparations.
Guidance Notes	Workplace exposure limits EH40. CHIP for everyone HSG 108.
15.2 Chemical Safety Assessment	-

SECTION 16: Other Information	
HAZARD AND/ OR PRECAUTIONARY STATEMENTS IN FULL	H302 HARMFUL IF SWALLOWED. H302 + H312 HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN. H304 MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. H312 HARMFUL IN CONTACT WITH SKIN. H315 CAUSES SKIN IRRITATION. H317 MAY CAUSE AN ALLERGIC SKIN REACTION. H318 CAUSES SERIOUS EYE DAMAGE. H319 CAUSES SERIOUS EYE IRRITATION. H411 TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. H412 HARMFUL TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
Training Instructions: Refer to possible hazard before use of this product.	
Abbreviations & Acronyms:	
MSDS	Material Safety Data Sheet.
INCI	International Nomenclature of Cosmetic Ingredients.
CAS	Chemical Abstract Service.
IMDG	International Maritime code for Dangerous Goods.
ADR	Accord European sur le transport des merchandises Dangereuses par Route (European Agreement concerning the international Carriage of Dangerous goods by Road).
RID	International Carriage of Dangerous Goods by Rail.
ICAO	International Civil Aviation Organization.
ADN	International Carriage of Dangerous Goods by Inland Waterways.

Page 8 of 9

1.1.4.1

Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road

Derby DE21 6AS Tel: +44 (0) 1332 613 967

GHS	Globally Harmonized System of classification & labelling of chemicals.
Trem Card	Transport Emergency Card.
stot	Specific Target Organ Toxicity.

Q.C. REQUIREMENTS.

In-line with general product specification. Always satisfy suitability for specific application.

The data provided in this material safety data sheet is meant to represent typical data/analysis for this product and is correct to the best of our knowledge. The data was obtained from current and reliable sources, but is supplied without warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility to determine safe conditions for the use of this product, and to assume liability for loss, injury, damage or expense arising from improper use of this product. The information provided does not constitute a contract to supply to any specification, or for any given application, and buyers should seek to verify their requirements and product use.



Akoma International (UK) LTD Unit 9A Sawley Park Nottingham Road Derby DE21 6AS Tel: +44 (0) 1332 613 967

E-mail: support@akoma.zendesk.com

Ylang Ylang 3 Essential Oil Organic - MSDS

Page 9 of 9